



Product Code: GDP4001
DEC:1 3/4" SPRING FITTING - UNIVERSAL
·MAXIMUM WIRE SIZE: 0.295" DIAMETER
·SET INCLUDES 1 WINDING & 1 STATIONARY
·COLOR CODED WINDING FITTINGS
·SET SCREWS INSTALLED
·FOR USE ON 1" TUBE SHAFT



Product Code: GDP4002
DEC:2" SPRING FITTING - UNIVERSAL
·MAXIMUM WIRE SIZE: 0.306" DIAMETER
·SET INCLUDES 1 WINDING & 1 STATIONARY
·COLOR CODED WINDING FITTINGS
·SET SCREWS INSTALLED
·FOR USE ON 1" TUBE SHAFT



Product Code: GDP4003
DEC:2 5/8" SPRING FITTING - UNIVERSAL
·MAXIMUM WIRE SIZE: 0.331" DIAMETER
·SET INCLUDES 1 WINDING & 1 STATIONARY
·COLOR CODED WINDING FITTINGS
·SET SCREWS INSTALLED
·FOR USE ON 1" TUBE SHAFT



Product Code: GDP4004
DEC:3 3/4" SPRING FITTING - UNIVERSAL
·MAXIMUM WIRE SIZE: 0.406" DIAMETER
·SET INCLUDES 1 WINDING & 1 STATIONARY
·COLOR CODED WINDING FITTINGS
·SET SCREWS INSTALLED
·FOR USE ON 1" TUBE SHAFT



Product Code: GDP4005

DEC.:5-1/4" spring fittings sliding thread

- Max. wire size: 0.406" diameter
- set includes 1 winding and 1 stationary
- COLOR CODED WINDING FITTINGS**
- SET SCREWS INSTALLED**
- used for 1" tube shaft



Product Code: GDP4006

·6" SPRING FITTING - SINGLE THREAD

- MAXIMUM WIRE SIZE: 0.4375" DIAMETER
- SET INCLUDES 1 WINDING & 1 STATIONARY
- COLOR CODED WINDING FITTINGS**
- SET SCREWS INSTALLED**
- FOR USE ON 1" TUBE SHAFT

Product Code: GDP4007

6" (1 1/4" BORE) SPRING FITTING



Product Code: GDP4011

DEC:STANDARD LIFT - CABLE DRUM 8'

- MAXIMUM DOOR HEIGHT:8' 1"
- RATED LIFTING WEIGHT PER DRUM:265 LBS
- MAXIMUM CABLE DIAMETER:1/8" (3mm)
- SET SCREWS INSTALLED
- USE ON 1" TUBE
- COLOR CODED
- CABLE LENGTH FORMULA - FLOOR TO SHAFT CENTER + 8"



Product Code: GDP4012

DEC:STANDARD LIFT - CABLE DRUM 12'

- MAXIMUM DOOR HEIGHT: 12' 1"
- RATED LIFTING WEIGHT PER DRUM: 375 LBS
- MAXIMUM CABLE DIAMETER: 5/32"(4mm)
- SET SCREWS INSTALLED
- USE ON 1" TUBE OR SOLID SHAFT WITH 1/4" KEYWAY
- COLOR CODED
- CABLE LENGTH FORMULA - FLOOR TO SHAFT CENTER + 8"



Product Code: GDP4012-3S
DEC:STANDARD LIFT - CABLE DRUM 12' Three Screws
 ·MAXIMUM DOOR HEIGHT: 12' 1"
 ·RATED LIFTING WEIGHT PER DRUM: 375 LBS
 ·MAXIMUM CABLE DIAMETER: 5/32"(4mm)
 ·SET SCREWS INSTALLED
 ·USE ON 1" TUBE OR SOLID SHAFT WITH 1/4" KEYWAY
 ·COLOR CODED
 ·CABLE LENGTH FORMULA - FLOOR TO SHAFT CENTER + 8"

Product Code: GDP4013
 ·STANDARD LIFT - CABLE DRUM 13'



Product Code: GDP4014
DEC:STANDARD LIFT - CABLE DRUM 18'
 ·MAXIMUM DOOR HEIGHT:18' 1"
 ·RATED LIFTING WEIGHT PER DRUM:750 LBS
 ·MAXIMUM CABLE DIAMETER:3/16" (5mm)
 ·SET SCREWS INSTALLED
 ·USE ON 1" TUBE OR SOLID SHAFT WITH 1/4" KEYWAY
 ·COLOR CODED
 ·CABLE LENGTH FORMULA - FLOOR TO SHAFT CENTER + 10"



Product Code: GDP4014-3S
DEC:STANDARD LIFT - CABLE DRUM 18' 3 Screws
 ·MAXIMUM DOOR HEIGHT:18' 1"
 ·RATED LIFTING WEIGHT PER DRUM:750 LBS
 ·MAXIMUM CABLE DIAMETER:3/16" (5mm)
 ·SET SCREWS INSTALLED
 ·USE ON 1" TUBE OR SOLID SHAFT WITH 1/4" KEYWAY
 ·COLOR CODED
 ·CABLE LENGTH FORMULA - FLOOR TO SHAFT CENTER + 10"



Product Code: GDP4015
DEC:STANDARD LIFT - CABLE DRUM 32'
 ·MAXIMUM DOOR HEIGHT:32' 1"
 ·RATED LIFTING WEIGHT PER DRUM:1000 LBS
 ·MAXIMUM CABLE DIAMETER:1/4" (6mm)
 ·SET SCREWS INSTALLED
 ·USE ON 1" OR 1 1/4" SOLID SHAFT WITH 1/4" KEYWAYS
 ·COLOR CODED
 ·CABLE LENGTH FORMULA - FLOOR TO SHAFT CENTER + 14"



Product Code: GDP4016

DEC:HIGH LIFT - CABLE DRUM 54 HL-54"

- MAXIMUM DOOR HIGH:120" + HI LIFT
- RATED LIFTING WEIGHT PER DRUM:275 LBS
- MAXIMUM CABLE DIAMETER:1/8"(3mm)
- SET SCREWS INSTALLED
- USE ON 1" OR 1 1/4" SOLID SHAFT WITH 1/4" KEYWAYS
- COLOR CODED
- CABLE LENGTH FORMULA - FLOOR TO SHAFT CENTER + 63" MINUS AMOUNT OF HI-LIFT



Product Code: GDP4017

·HIGH LIFT - CABLE DRUM 54 HL - LD54"

- MAXIMUM DOOR HIGH:180" + HI LIFT
- RATED LIFTING WEIGHT PER DRUM:500 LBS
- MAXIMUM CABLE DIAMETER:3/16"(5mm)
- SET SCREWS INSTALLED
- USE ON 1" SOLID SHAFT WITH 1/4" KEYWAY
- COLOR CODED
- CABLE LENGTH FORMULA-FLOOR TO SHAFT CENTER+66" MINUS AMOUNT OF ·HI-LIFT (DNS+61" MINUS HI-LIFT)



Product Code: GDP4017-3S

·HIGH LIFT - CABLE DRUM 54 HL - LD54" Three Screws

- MAXIMUM DOOR HIGH:180" + HI LIFT
- RATED LIFTING WEIGHT PER DRUM:500 LBS
- MAXIMUM CABLE DIAMETER:3/16"(5mm)
- SET SCREWS INSTALLED
- USE ON 1" SOLID SHAFT WITH 1/4" KEYWAY
- COLOR CODED
- CABLE LENGTH FORMULA-FLOOR TO SHAFT CENTER+66" MINUS AMOUNT OF ·HI-LIFT (DNS+61" MINUS HI-LIFT)



Product Code: GDP4018

·HIGH LIFT - CABLE DRUM 120 HL

- MAXIMUM DOOR HIGH:144" + HI LIFT
- RATED LIFTING WEIGHT PER DRUM:500 LBS
- MAXIMUM CABLE DIAMETER:3/16"
- SET SCREWS INSTALLED
- USE ON 1" SOLID SHAFT WITH 1/4" KEYWAY
- COLOR CODED
- CABLE LENGTH FORMULA-FLOOR TO SHAFT CENTER+133" MINUS AMOUNT OF HI-LIFT (APCO+134" MINUS HI-LIFT)



Product Code: GDP4019

- HIGH LIFT - CABLE DRUM 131 HL
- MAXIMUM DOOR HIGH:299" + HI LIFT
- RATED LIFTING WEIGHT PER DRUM:1000LBS
- MAXIMUM CABLE DIAMETER:1/4"(6mm)
- SET SCREWS INSTALLED
- USE ON 1" OR 1 1/47" SOLID SHAFT WITH 1/4" KEYWAY
- COLOR CODED
- CABLE LENGTH FORMULA-FLOOR TO SHAFT CENTER+181"
MINUS AMOUNT OF HI-LIFT



Product Code: GDP4021

- VERTICAL LIFT - CABLE DRUM 11' VL
- MAXIMUM DOOR HIGH:11'1"
- RATED LIFTING WEIGHT PER DRUM:425LBS
- MAXIMUM CABLE DIAMETER:3/16"(6mm)
- SET SCREWS INSTALLED
- USE ON 1" OR 1 1/47" SOLID SHAFT WITH 1/4" KEYWAY
- COLOR CODED
- CABLE LENGTH FORMULA-FLOOR TO SHAFT CENTER+143"
MINUS AMOUNT OF HI-LIFT



Product Code: GDP4022

- VERTICAL LIFT - DM18VL
- MAXIMUM DOOR HIGH:18'1"
- RATED LIFTING WEIGHT PER DRUM:500LBS
- MAXIMUM CABLE DIAMETER:3/16"(5mm)
- SET SCREWS INSTALLED
- USE ON 1" SOLID SHAFT WITH 1/4" KEYWAY
- CABLE LENGTH FORMULA:
FLOOR TO SHAFT CENTER +237"MINUS DOOR HEIGHT
(DNS+226",MINUS DOOR HEIGHT)



Product Code: GDP4023

- VERTICAL LIFT - DM28VL
- MAXIMUM DOOR HIGH:28'1"
- RATED LIFTING WEIGHT PER DRUM: 1100LBS
- MAXIMUM CABLE DIAMETER: 1/4"(6mm)
- SET SCREWS INSTALLED
- USE ON 1" SOLID SHAFT WITH 1/4" KEYWAY
- CABLE LENGTH FORMULA:
FLOOR TO SHAFT CENTER+364" MINUS DOOR HEIGHT



Product Code: GDP4025

DEC: Cables

DEC: Cables

Cable size

3/32"7X7

1/8"7X7

1/8"7X19

5/32"7X19

3/16"7X19

1/4" 7X19

the length of the cable can supply as you request



Product Code: GDP4026

DEC: Cables

Cable size

3/32"7X7

1/8"7X7

1/8"7X19

5/32"7X19

3/16"7X19

1/4" 7X19

the length of the cable can supply as you request



Product Code: GDP4027

DEC:bottom stops and sleeves

1/8" bottom stops and sleeves

5/32" bottom stops and sleeves

3/16" bottom stops and sleeves



Product Code: GDP4024

DEC:Cable parts